

RECEIVED  
CENTRAL FAX CENTER

SEP 10 2010

PATENT APPLN. NO. 10/593,483  
RESPONSE UNDER 37 C.F.R. §1.111

PATENT  
NON-FINAL

IN THE CLAIMS:

1. (currently amended) A pre-filled syringe which comprises a barrel having a tip in which a nozzle is provided and an open base end and having an axis extending from said tip to said open base end, an intermediate gasket liquid-tightly partitioning an inside of the barrel into a front chamber and a rear chamber, a plunger gasket located in a base end side of the intermediate gasket and sealing the inside of the barrel, and a plunger rod connected to a base end of the plunger gasket, and in which in a tip side of the barrel relative to the intermediate gasket there is formed a single bypass protruding outwardly in a radial direction,

wherein the intermediate gasket includes ~~a seal part contacting an inner wall of the barrel and liquid-tightly partitioning the front chamber and the rear chamber,~~ and a bypass communication passage providing communication between the front chamber and the rear chamber in cooperation with the bypass, the bypass communication passage consisting of a seal part contacting an inner wall of the barrel and liquid-tightly partitioning the front chamber and the rear chamber, a circumferential groove formed in an approximately circumferential direction of a base end side of the seal part, and a connection passage connecting the circumferential groove and the rear chamber, the connection passage

PATENT APPLN. NO. 10/593,483  
RESPONSE UNDER 37 C.F.R. §1.111

PATENT  
NON-FINAL

being a spiral groove formed in an outer wall of the intermediate gasket;

wherein an axial length of the intermediate gasket parallel to the axis of the barrel is longer than an axial length of the bypass parallel to the axis of the barrel, and when the axial length of the bypass is  $a_1$  and an axial effective length of the seal part is  $b_1$ ,  $a_1 > b_1$ ; and

wherein a powdery medicine is accommodated in the front chamber and a liquid medicine is accommodated in the rear chamber.

2 - 8. (canceled)

9. (previously presented) A pre-filled syringe according to claim 1, wherein if an axial length of a tip gasket parallel to the axis of the barrel is A, an axial length of the intermediate gasket parallel to the axis of the barrel is B, an axial length of the plunger gasket parallel to the axis of the barrel is C and a length from an inner wall tip of a nozzle member to an inner wall base end of the bypass is D,  $A + B + C > D$ .

10. (previously presented) A pre-filled syringe according to claim 1, wherein the barrel additionally comprises a tip gasket,

PATENT APPLN. NO. 10/593,483  
RESPONSE UNDER 37 C.F.R. §1.111

**PATENT  
NON-FINAL**

and the front chamber is formed between the tip gasket and the intermediate gasket.

11. (previously presented) A pre-filled syringe according to claim 10, wherein the barrel additionally comprises a nozzle member, the nozzle is formed in a tip of the nozzle member, and the nozzle member includes a tip gasket accommodation part capable of accommodating the tip gasket, and a liquid passing passage through which a liquid medicine can pass when the tip gasket has been accommodated in the tip gasket accommodation part.